L Number	Hite	Search Text	DB	Time stamp
- Number	2	("5905437").PN.	USPAT;	2004/04/13 09:54
	[~ ~ ~	, ,	EPO;	
			DERWENT	
_	2	("4509201").PN.	USPAT;	2004/04/12 13:00
			EPO;	
			DERWENT	
-	2	("5392462").PN.	USPAT;	2004/04/12 13:00
			EPO;	
			DERWENT	
-	2	("6173170").PN.	USPAT;	2004/04/12 13:01
			EPO;	
			DERWENT	
_	10	("4872005" "4918438" "5032835"	USPAT	2004/04/12 13:17
		"5272475" "5304986" "5327120"		
		"5365226" "5442345" "5638421"		
	,	"5696437").PN.		0004/04/10 10 00
-	1	5905437.URPN.	USPAT	2004/04/12 13:22
-	2	("6173170").PN.	USPAT;	2004/04/12 13:32
			EPO;	
1_	14	 ("4182934" "4392242" "4618917"	DERWENT USPAT	2004/04/12 13:23
] -	14.	"4933963" "4964121" "4972454"	USPAI	2004/04/12 13:23
]		"4933963" "4964121" "4972434" "5095308" "5109401" "5111201"		
		3093306		
		3123037		.
_	1	6173170.URPN.	USPAT	2004/04/12 13:31
_	2	("5392462").PN.	USPAT;	2004/04/12 13:50
	_	,	EPO;	
			DERWENT	
-	3	("4989230" "5117449" "5127042").PN.	USPAT	2004/04/12 13:32
-	22	5392462.URPN.	USPAT	2004/04/12 13:34
-	2	("4509201").PN.	USPAT;	2004/04/12 14:08
		·	EPO;	
			DERWENT	
-	4	("3737782" "3877001" "4052717"	USPAT	2004/04/12 13:51
		"4356481").PN.		
-		4509201.URPN.	USPAT	2004/04/12 13:52
-	2	("6223016").PN.	USPAT;	2004/04/12 14:08
			EPO;	
	_	/# coooca cu	DERWENT	
-	2	("6233016").PN.	USPAT;	2004/04/12 14:56
			EPO;	
	2	(#E072022# #E202462# #E622E72#\ 557	DERWENT	2004/04/10 14:00
[3	("5073823" "5392462" "5633573").PN. 6233016.URPN.	USPAT	2004/04/12 14:08
_		6233016.URPN. ("powernear3consum\$5").PN.	USPAT	2004/04/12 14:09
-	0	(powernearoconsumpo").PN.	USPAT;	2004/04/12 14:56
			EPO; DERWENT	·
_ ·	184147	 power near3 consum\$5	USPAT;	2004/04/12 14:56
	10414/	bouch means commused	EPO;	
			DERWENT	·
_	15562	(power near3 consum\$5) with lower\$3	USPAT;	2004/04/12 15:18
	10002	/power mears comediately with lowers	EPO;	2003/03/12 13:10
		· ·	DERWENT	
_	5	((power near3 consum\$5) with lower\$3) same	USPAT;	2004/04/12 14:58
		(respon\$4 near5 (low near2 voltage))	EPO;	1101,01,12 11.50
			DERWENT	
-	23	((power near3 consum\$5) with lower\$3) same	USPAT;	2004/04/12 15:04
		(respon\$4 near5 (low near2 power))	EPO;	
		•	DERWENT	
-	21	((power near3 consum\$5) with lower\$3) same	USPAT;	2004/04/12 15:16
		(detect\$4 near5 (low near2 power))	EPO;	
			DERWENT	
-	4	((power near3 consum\$5) with lower\$3) same	USPAT;	2004/04/12 15:17
		(determin\$5 near5 (low near2 power))	EPO;	
			DERWENT	
-	6	((power near3 consum\$5) with lower\$3) same	USPAT;	2004/04/12 15:16
		(detect\$4 near5 (low near2 voltage))	EPO;	
			DERWENT	

-	1	((power near3 consum\$5) with lower\$3) same	USPAT;	2004/04/12 15:17
		(determin\$5 near5 (low near2 voltage))	EPO;	
			DERWENT	
_	87911	(power near3 consum\$5) with reduc\$4	USPAT;	2004/04/12 15:18
			EPO;	
			DERWENT	
-	13		USPAT;	2004/04/12 15:34
		(respon\$4 near5 (low near2 voltage))	EPO;	
			DERWENT	
-	64	((power near3 consum\$5) with reduc\$4) same	USPAT;	2004/04/12 15:20
		(respon\$4 near5 (low near2 power))	EPO;	
			DERWENT	
_	37	((power near3 consum\$5) with reduc\$4) same	USPAT;	2004/04/12 15:45
		(detect\$4 near5 (low near2 voltage))	EPO;	
1			DERWENT	[
-	82	((power near3 consum\$5) with reduc\$4) same	USPAT;	2004/04/12 16:01
		(detect\$4 near5 (low near2 power))	EPO;	ľ
			DERWENT	
-	20	((power near3 consum\$5) with reduc\$4) same	USPAT;	2004/04/12 16:12
İ		(determin\$5 near5 (low near2 power))	EPO;	
		F	DERWENT	
_	11	((power near3 consum\$5) with reduc\$4) same	USPAT;	2004/04/12 16:15
		(determin\$5 near5 (low near2 voltage))	EPO;	,, 1
		, colorman, o notice (10% notice voltage)	DERWENT	
l _	16268	(switch\$3 near3 processor)	USPAT;	2004/04/12 16:35
	10200	/ / / / / / / / / / / / / / / / / / /	EPO;	2004/04/12 10:33
]			DERWENT	
1_	3	//avitabe2 page2 page2		2004/04/12 16:35
1 -	3	((switch\$3 near3 processor)) same	USPAT;	2004/04/12 16:35
		(respon\$4 near5 (low near2 voltage))	EPO;	
		1,, ., ,,	DERWENT	0004/04/10 16 27
-	4	((+::=+==:, = ::+=== F=+++==, , ======	USPAT;	2004/04/12 16:37
1		(respon\$4 near5 (low near2 power))	EPO;	
		1, ,,,,,,	DERWENT	0004/01/10 11
-	23794	(switch\$3 near5 processor)	USPAT;	2004/04/12 16:47
1			EPO;	
	_	1,, 1, 1, 1, 2	DERWENT	
-	5		USPAT;	2004/04/12 16:57
1		(respon\$4 near5 (low near2 voltage))	EPO;	
1		l	DERWENT	
-	2		USPAT;	2004/04/12 16:35
1		(respon\$4 near5 (low near2 voltage))) not	EPO;	
[(((switch\$3 near3 processor)) same	DERWENT	·
1		(respon\$4 near5 (low near2 voltage)))	_	
-	6	' '- ' ' F	USPAT;	2004/04/12 16:37
] .	(respon\$4 near5 (low near2 power))	EPO;	·
			DERWENT	
-	1389337	"43" not (((switch\$3 near3 processor))	USPAT;	2004/04/12 16:37
		same (respon\$4 near5 (low near2 power)))	EPO;	
			DERWENT	
-	2		USPAT;	2004/04/12 16:37
	1	(respon\$4 near5 (low near2 power))) not	EPO;	
ĺ		(((switch\$3 near3 processor)) same	DERWENT	
		(respon\$4 near5 (low near2 power)))		
-	11		USPAT;	2004/04/12 16:42
l		(detect\$4 near5 (low near2 voltage))	EPO;	·
			DERWENT	
l –	6	((switch\$3 near5 processor)) same	USPAT;	2004/04/12 16:48
1		(detect\$4 near5 (low near2 power))	EPO;	
		(pondz)	DERWENT	
_	4	((switch\$3 near5 processor)) same	USPAT;	2004/04/12 16:51
	1 . '	(determin\$5 near5 (low near2 power))	EPO;	=====
	'	\documents hears (row hearz power))	DERWENT	
! _	0	((switch\$3 near5 processor)) same	USPAT;	2004/04/12 16:47
į		(determin\$5 near5 (low near2 voltage))	EPO;	2001,01,12 10.17
1		(decemined nears (row nears vortage))	DERWENT	
_	14395	 (chang\$3 near5 processor)	USPAT;	2004/04/12 16:56
1	14353	(changes hears brocessor)	EPO;	2004/04/12 10:36
	[,			
l _		//ahang\$2 noamE nmagazzzz\ \	DERWENT	2004/04/12 16:50
-	0	((chang\$3 near5 processor)) same	USPAT;	2004/04/12 16:58
1	1	(respon\$4 near5 (low near2 voltage))	EPO; DERWENT	1
l	1			

-	1	((chang\$3 near5 processor)) same	USPAT;	2004/04/12 16:50
1		(detect\$4 near5 (low near2 power))	EPO; DERWENT	
_	4	((chang\$3 near5 processor)) same	USPAT;	2004/04/12 16:49
	1	(respon\$4 near5 (low near2 power))	EPO;	2004/04/12 10:45
:		(lespont nears (low nears power)	DERWENT	
-	2	((chang\$3 near5 processor)) same	USPAT;	2004/04/12 16:50
		(detect\$4 near5 (low near2 voltage))	EPO;	
			DERWENT	
-	0	((chang\$3 near5 processor)) same	USPAT;	2004/04/12 16:52
		(determin\$5 near5 (low near2 power))	EPO;	
	_		DERWENT	0004/04/10 16 50
_	7	((chang\$3 near5 processor)) same	USPAT;	2004/04/12 16:52
		(determin\$5 near5 (low near2 voltage))	EPO; DERWENT	
_	0	(transfer\$4 near2 control) with	USPAT;	2004/04/12 16:59
		(low-voltage near3 processor)	EPO;	2004,01,12 10.33
		(Low volumes processes,	DERWENT	
-	0	(transfer\$4 near2 control) with	USPAT;	2004/04/12 16:54
		(low\$1voltage near3 processor)	EPO;	
			DERWENT	
-	0	(transfer\$4 near2 control) same	USPAT;	2004/04/12 16:54
		(low\$1voltage near3 processor)	EPO;	
_	1	/transfor\$4 noar2 controlly same	DERWENT	2004/04/12 16:56
-		(transfer\$4 near2 control) same (low\$1power near3 processor)	USPAT; EPO;	2004/04/12 16:56
		(Towalbower Hears brocessor)	DERWENT	
_	1	(transfer\$4 near2 control) same	USPAT;	2004/04/12 16:56
		(low\$1power near3 process\$3)	EPO;	
		, F	DERWENT	
	0	(transfer\$4 near2 control) with	USPAT;	2004/04/12 16:56
		(low-voltage near3 process\$3)	EPO;	,
			DERWENT	
-	124726	(chang\$3 near5 process\$3)	USPAT;	2004/04/12 16:56
			EPO;	
_	1	//changs3 near5 proceeds3) \ came	DERWENT	2004/04/12 16:57
_		((chang\$3 near5 process\$3)) same (respon\$4 near5 (low near2 voltage))	USPAT; EPO;	2004/04/12 16:5/
		\100ponyi nearo \10m nearo \01cage//	DERWENT	
l –	175	(transfer\$4 near2 control) same (low near2	USPAT;	2004/04/12 16:58
1		voltage)	EPO;	,
		_	DERWENT	
-	0		USPAT;	2004/04/12 16:58
		(respon\$4 near5 (respon\$5 near5 (low near2	EPO;	
	70615	voltage)))	DERWENT	2004/04/10 16 52
-	/8617	transfer\$4 near3 control	USPAT;	2004/04/12 16:59
			EPO; DERWENT	
_	8	(transfer\$4 near3 control) same (respon\$4	USPAT;	2004/04/12 17:01
		near5 (low near2 voltage))	EPO;	
		,	DERWENT	
-	3		USPAT;	2004/04/12 17:04
		near5 (low near2 power))	EPO;	
			DERWENT	0004/5:/:- :- :-
-	21	low-power adj1 condition	USPAT;	2004/04/12 17:15
ŀ			EPO;	
_	21	low\$1power adj1 condition	DERWENT USPAT;	2004/04/12 17:14
	21	towarbower adli condition	EPO;	2004/04/12 17:14
			DERWENT	
_	0	(low\$1power adj1 condition) not (low-power	USPAT;	2004/04/12 17:14
		adjl condition)	EPO;	
			DERWENT	
-	102	low\$1voltage_adj1 condition	USPAT;	2004/04/12 17:24
			EPO;	
	111	1-101-14-1-14-14-14-14-14-14-14-14-14-14-14-	DERWENT	2004/04/10 17 22
-	111	low\$1voltage adj1 state	USPAT;	2004/04/12 17:36
			EPO; DERWENT	
-	207	low\$1power adj1 state	USPAT;	2004/04/12 17:36
	207	Long I ponor daji bedee	EPO;	
	1		DERWENT	
	A	· · · · · · · · · · · · · · · · · · ·		<u> </u>

-	18	(low\$1power adj1 state) with respon\$4	USPAT;	2004/04/12 17:49
			EPO;	
			DERWENT	
l -	13	(low\$1power adj1 state) with detect\$3	USPAT;	2004/04/12 17:51
		,,	EPO;	
			DERWENT	
<u>-</u>	11	((low\$1power adj1 state) with detect\$3)	USPAT;	2004/04/12 17:50
		not ((low\$1power adj1 state) with	EPO;	
		respon\$4)	DERWENT	
_	17	(low\$1power adj1 state) with determin\$5	USPAT;	2004/04/12 17:51
		, , , , , , , , , , , , , , , , , , ,	EPO;	
			DERWENT	
1_	17	((low\$1power adj1 state) with determin\$5)	USPAT;	2004/04/12 17:52
		not (((low\$1power adj1 state) with	EPO;	
		detect\$3) not ((low\$1power adj1 state)	DERWENT	
		with respon\$4))		
_	2		USPAT;	2004/04/12 19:03
			EPO;	
			DERWENT	-
_	2	("4546436").PN.	USPAT;	2004/04/12 19:04
			EPO;	
			DERWENT	
-	2	("6691236").PN.	USPAT;	2004/04/12 19:06
		·	EPO;	
			DERWENT	•
-	2	("6681244").PN.	USPAT;	2004/04/12 19:06
			EPO;	
			DERWENT	
-	91	(monitor\$3 near3 power) same	USPAT;	2004/04/13 11:17
		(communication adj1 device\$1)	EPO;	· · ·
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DERWENT	
-	0	20030059035.URPN.	USPAT	2004/04/13 11:01
-	389	(monitor\$3 near3 power) same backup	USPAT;	2004/04/13 11:24
		F =	EPO;	
			DERWENT	
-	0	(monitor\$3 near3 power) same (backup adj1	USPAT;	2004/04/13 11:16
		processor)	EPO;	
			DERWENT	
-	14	(monitor\$3 near3 power) same (second adj1	USPAT;	2004/04/13 11:08
		processor)	EPO;	
			DERWENT	
-	1	(monitor\$3 near3 power) same (backup adj1	USPAT;	2004/04/13 11:17
		process\$3)	EPO;	
		<u>-</u>	DERWENT	
-	0	(monitor\$3 near3 power) same (backup adj1	USPAT;	2004/04/13 11:17
		(process\$3 not process))	EPO;	
		<u> </u>	DERWENT	
-	27	(monitor\$3 near3 voltage) same	USPAT;	2004/04/13 11:18
		(communication adj1 device\$1)	EPO;	
			DERWENT	
-	25	((monitor\$3 near3 voltage) same	USPAT;	2004/04/13 11:18
		(communication adj1 device\$1)) not	EPO;	
		((monitor\$3 near3 power) same	DERWENT	
		(communication adj1 device\$1))		
-	290	(monitor\$3 near3 voltage) same backup	USPAT;	2004/04/13 11:24
			EPO;	
	1		DERWENT	
-	0	(monitor\$3 near3 voltage) same (backup	USPAT;	2004/04/13 11:25
		adj1 (processing or processor))	EPO;	
	1		DERWENT	
-	8	(monitor\$3 near3 voltage) same (second	USPAT;	2004/04/13 12:02
		adjl (processing or processor))	EPO;	
			DERWENT	
-	2	("5311392").PN.	USPAT;	2004/04/13 12:02
			EPO;	
			DERWENT	
-	7	,	USPAT	2004/04/13 12:02
		"4811154" "4870351" "4996646"	l .	
		"5031178").PN.		000445:455
	<u> </u>	5311392.URPN.	USPAT	2004/04/13 12:05

-	2	("6212375").PN.	USPAT;	2004/04/13 12:05
			EPO;	
		 ("5173927" "5309502" "5373548"	DERWENT	2004/04/13 12:08
-	°	"5428818" "5551056" "5751789"	USPAI	2004/04/13 12:08
		"5805666" "5812636").PN.		
-	1	6212375.URPN.	USPAT	2004/04/13 12:09